



EZ Grout Fencing Products

The Fencing Industry's best kept secret is out!



Construction Starts Here

www.thefencehog.com



EZ Grout Fence Hog®

Model FH 08-24 (24" Diameter) - handles up to 50 ft. roll of chain link or 330 ft. roll of woven wire.
or FH 08-36 (36" Diameter) - handles up to 100 ft. roll of chain link or 330 ft. roll of woven wire.

Developed with the assistance of Professional Fence Builders, the patented Fence Hog® unit was designed to satisfy customer request for a machine that picks up and dispenses cumbersome rolls of chain link fence easily with no physical effort.

Powered by hydraulics of the skid-steer Loader, the uniquely designed cage mechanism opens and tilts to retrieve the roll of fence from the ground. For the Fence Contractor, this means no more unrolling fence by hand and using extra men to stand it up. With the standard features of the Fence Hog®, this machine allows optimum efficiency for the fence contractor to install fabric quickly, easily, and professionally using only two people.

- **No heavy lifting**
- **Affordable and easy to use**
- **Dispenses and stretches fence**
- **For use with a skid-steer loader**
- **Up to 36" diameter roll capacity**
- **Removable center post to hold woven wire in center of cage**
- **Sealed with powder coat paint**
- **Extension available** for dispensing 10 to 12 ft. fence, max. 16 ft.
- **Rotating turntable** to smoothly dispense fabric
- **Works with various fencing material** such as chain link, woven wire, vinyl coated fabric, snow fence, etc.
- **Attaches directly to skidsteer loader** with a universal skidsteer attachment plate
- **"Tilt" Full dispense swivel option** for uneven terrain
- **Optional Hog Hangers**

U.S. Patent
#5,806,779



Turntable dispenses fence smoothly.

The Fence Hog® can easily handle 100 ft. rolls of chainlink and 330 ft. rolls of woven wire fence. The operation is simple: the loader picks up the roll of fence with the cage and tilts the cage to vertical position. Also with the Fence Hog®, the wire can be lifted for easy installation of backstops or other high installation projects. This patented design is low maintenance, built of durable heavy-gauge steel construction, and best of all, your labor doesn't lift or carry the fence to dispense.

The Hog Hanger holds the fence in a temporary position from the top rail until the fence is stretched and secured to the post. Then simply remove the Hog Hanger and use on the next run of fence. For high fencing jobs, a Hog Hanger assists in placing the Hog Hangers on the top rail.



**2 ft. & 4 ft.
Extensions Available**



Tilt



**Hog
Hanger
Helpers™**



Hog Stringer®



EZ Grout Fence Hog® Product in Action

Nothing is more convincing to contractors than seeing the product in action...



Fast job setup! The Fence Hog picks up a roll of chain link and within minutes you're ready to stretch it to the posts.



The Hog Stringer dispenses bottom tension wire with ease, while the Hog Hangers slide easily on the top rail to temporarily hold the fence.

The optional Woven Wire Stretcher provides the necessary tension for speedy installation.



No job is too big for the Fence Hog...

...or too high...

It's all in a day's work.

"We at Dale W. Carter Fencing used the special designed fence hog on a 25,000 foot airport fence job in Red Bluff, CA and couldn't have done the job in a timely manner without it. We also use it on baseball backstops. Before the job had started I had flown to Seattle, WA to see the fence hog in action and liked what I had seen. I had talked to Damian and Greg at the factory and asked them about making some minor modifications for our needs, they did and it made a big difference. Thank You Fence Hog."

Dale Carter, Owner, Dale W. Carter Fencing, Redding, CA

Specifications

Model	Width	Empty Weight	Weight with 2 ft. Extension	Weight with 4 ft. Extension	Dimensions without Extensions DxWxH	Hydraulic Flow Rate
FH08-24	24"	1,195 lb. (543 kg)	1,350 lb. (614 kg)	1,595 lb. (702 kg)	33 3/8" x 74 11/16" x 106 15/16"	10 gal. @ 2,000 psi min. 35 gal. @ 3,000 psi max.
FH08-36	36"	1,465 lb. (655 kg)	1,665 lb. (757 kg)	1,890 lb. (859 kg)	46 3/8" x 78 3/8" x 107"	
FHW	24"	530 lb. (240 kg)	625 lb. (284 kg)	N/A	33 1/4" x 56" x 56 3/4"	



EZ Grout Mini Fence Hog™



Just like its larger sibling, the Mini Fence Hog lifts, rolls and dispenses, but it's more compact. Ideal for residential chainlink and woven fence. Designed for use with a walk-behind. This four ft. model has the option of adding a two ft. extension for a six ft. fence.

- **Weight: 625 lb. with two ft. extension**
- **No heavy lifting**
- **Affordable and easy to use**
- **Dispenses and stretches fence**
- **For use with a mini skid-steer loader**
- **Up to 24" diameter roll capacity**
- **Sealed with powder coat paint**
- **Rotating turntable** to smoothly dispense fabric
- **Works with various fencing material** such as chain link, woven wire, vinyl coated fabric, snow fence, etc.
- **Attaches directly to skidsteer loader** with optional FH-A-9 universal skid steer attachment plate (80 lbs.; 36 kg) or FHW-A MT-series Bobcat® walk-behind attachment plate (44 lbs.; 20 kg)



All the great features from the original Fence Hog, but in a compact size.



"By using the Mini Fence Hog, we cut two weeks off the job and saved 160 man hours. The machine paid for itself the first time we used it. And, it's definitely going to help those of us with back problems because it does the lifting for us. In today's market, it's a big mistake not doing business with these guys!"

Kenneth Crumpton, President/CEO, Crumpton Fence Co., LLC, Winfield, AL





EZ Grout Stretch-n-Go Hog™

Woven Wire Dispenser — Stretches as it dispenses!



Available in 4 ft. size
U.S. Patent #7,195,193,B2

The Stretch-n-Go Hog® fence dispenser can stretch up to 1/4 mile of woven wire in one load while it dispenses — that is four 330 ft. rolls or two 660 ft. rolls. The Stretch-n-Go Hog® dispenses at the rate of 2 mph and can more than double the amount of fence that a fence builder can put up in one day with only two laborers.


Woven wire is loaded by a skid steer and while dispensing, the Stretch-n-Go Hog® holds the fabric upright and guides the material along the fence line. Coated tension rolls protect wire during stretching while an adjustable brake system provides individual tension preferences. Fence can be nailed directly behind the skid steer, making for faster, more efficient work. The Stretch-n-Go Hog® features fork pockets on both sides to allow the operator to easily switch from side to side.

- **Weighs 1210 lb. (549 kg); Max. gross weight: 5,210 lb. (2363 kg)**
- **Capacity: four rolls of 330 ft. or 2 rolls of 660 ft. of wire**
- **Sealed with powder coat paint**
- **Load with skid steer**
- **Adjustable braking system for desired tension**
- **Optional barb wire attachment (up to 6 rolls)**
- **Dimensions (DxWxH): 48" x 86" x 661/8"**

Barb Wire Dispenser

Model SNGBARB

The optional Barb Wire Hog® mounts to the Stretch-n-Go Hog™, allowing six rolls of barb wire to be dispensed and stretched concurrently.





The Mobile Mud Hog®



Model MMH-12 Hydraulic Powered

- Empty weight, 1,000 lbs.
- Modified unit for use with a skid-steer loader or small forklift
- 1/2 cubic yard maximum capacity per load
- Hooks to auxiliary hydraulics on your loader or forklift
- Mixes and delivers up to 1" aggregate
- Unloads 1/2 cubic yard in 1 minute

Mixes and dispenses!

After several requests from Fence Contractors, EZ Grout adds to its line of quality fence products with the Mobile Mud Hog® to thoroughly and quickly mix materials and deliver those materials directly to the post-hole. The Mobile Mud Hog® comes standard-equipped with six patented rubber blades that wipe the sides of the drum and continually roll the mix to the center of the drum to allow for the best mixing process.

With the Mobile Mud Hog®, the contractor simply adds water and materials, starts the paddle rotation, and mixes. The skid steer operator simply drives along the fence line or pouring area while the material continues to mix as it is dispensed through the side discharge snout. The Mobile Mud Hog® mixes and dispenses quickly. In fact, Matt Thompson of Fence Solutions, Lancaster, Ohio, stated, "We filled 80 post holes in 30 minutes!"

The hydraulic powered Mobile Mud Hog® comes standard with Bobcat® attachment plates and forklift pockets to allow even more versatility. Or, units can be built to the contractor's specifications. With a load capacity of nearly one-half cubic yard, the Mobile Mud Hog® improves your jobsite efficiency.

Specifications

Model	MMH12	MMH20
Empty Weight	1,000 lb. (454 kg)	1,350 lb. (614 kg)
Max. Gross Wt.	2,800 lb. (1270 kg)	4,350 lb. (1977 kg)
Discharge	1/2 cu.yd./min.	1/2 cu. yd./min.
Aggregate Size	1"	1"
Hydraulic Flow Rate	10 gal. @ 2,000 psi min. 20 gal. @ 3,000 psi max.	10 gal. @ 2,000 psi min. 35 gal. @ 3,000 psi max.
Dimensions DxWxH	40x45x58"	45½ x 79¾ x 52½"

"A+ Quality Fence and Deck, Inc. originally purchased the Mobile Mud Hog from EZ Grout to help install approximately 5,000 linear feet of 8 ft. tall pre-cast concrete fence, which we contracted to install at Maxwell Gunter AFB in Montgomery, Alabama.

The pre-cast concrete fence requires setting a post every five feet, requiring a footing consisting of almost 4 cubic feet of concrete. This fence is being installed in a sodded area and a ready-mix concrete truck would do extensive damage to the landscape, which would have to be repaired at our expense. Using the Mobile Mud Hog enabled us to keep our skid steer right against the fence line, resulting in very little turf damage and minimal repair expense.

The Mobile Mud Hog performed flawlessly, having mixed approximately 130 cubic yards of concrete...more than paying for itself by saving A+ Quality Fence and Deck, Inc. money in three ways:

Saving the expense of paying hourly rates to Redi-Mix companies to have their drivers wait for us. Saving the cost of payroll to have employees wait for Redi-Mix trucks. Substantially saving on labor hours to hand-mix concrete.

We looked at 3 to 4 other brands before purchasing the Mobile Mud Hog and concluded that the Mobile Mud Hog would best suit our needs. After mixing and dispensing the concrete with the Mobile Mud Hog, we now know it was the perfect choice!"

**Craig Myers, President
A+ Quality Fence and Deck, Inc., Montgomery, Alabama**





Mini Mobile Mud Hog®

The Mini Mobile Mud Hog® – just like its sibling – mixes and dispenses on-site using a Mini Skid Steer. The Mini Mobile Mud Hog comes standard with rubber blades that wipe the sides of the drum to allow for the best mixing process. Simply add water and materials, start the paddle rotation, and mix. Drive along the fence line or pouring area while the material continues to mix as it dispenses through the side discharge chute.

- **Mixing Paddles powered by hydraulics**
- **Manual slide gate** for dispensing aggregate
- **MMH4 attaches directly to Mini Skid Steer** with additional attachment plates
- **MMH9 attaches directly to Mini or Full size loader** with additional attachment plates



Heavy-duty paddles

Specifications

Model	Dimensions WxLxH	Empty Weight	Gross Weight	Maximum Aggregate Size
MMH4	29 x 44 x 29" (74 x 112 x 74 cm)	350 lb. (159 kg)	950 lb. (431 kg)	3/4" (702 kg)
MMH9	36 x 53 x 36" (91 x 135 x 91 cm)	600 lb. (272 kg)	1,950 lb. (885 kg)	3/4" (859 kg)



Model MMH4

Model MMH4 shown with optional FHW-A-9 attachment plate



Model MMH9



EZ Grout Fencer's Cement Hog™

A cement delivery system that's perfect for postholes!

The Fencer's Cement Hog™ is a cement delivery system.

Simply pour the cement from a ready mix truck into the hopper and drive along the fence line while dispensing just the right amount of cement needed in minute....instead of hours of shoveling.

The Fencer's Cement Hog™ was designed to mount on either side of a skid steer, allowing the operator to dispense from both the left or the right on either side of the fence.

- Modified unit for use with a skid steer loader or small forklift
- One-half cubic yard maximum capacity.
Also available up to 1 cubic yard
- Hooks to auxiliary hydraulics on your loader or forklift; delivers up to one-inch aggregate
- Unloads one-half cubic yard in two minutes
- Delivers wet or dry materials – even dry sand
- 10" discharge tube with 7½" auger



Model
FCH50
FCH100



Drive along the fence line...
No shoveling.



Large, one-half cubic yard
hopper.

Specifications

Model	Dimensions DxWxH	Weight Empty lb. (kg)	Weight Gross lb. (kg)	Variable Pitch Auger	OD Discharge with 8 ft. Flexible Hose	Auger Tube	Hydraulic Requirement
FCH50	33¾ x 75⁹/₁₆ x 40³/₄	790 (360)	2,790 (1268)	7½"	6"	10"	8 gpm @ 2,000 psi min.
FCH100	34¹/₂ x 76⁹/₁₆ x 48¹/₂	1,050 (477)	5,050 (2295)	7¹/₂"	6"	10"	8 gpm @ 2,000 psi min.

Since its inception in 1998, EZ Grout has rapidly become a leading equipment manufacturer to the masonry, concrete construction market, and fencing industry. With roots firmly fixed in the masonry industry, owner Damian Lang, an innovative mason contractor based in southeastern Ohio, started EZ Grout to improve efficiency on the masonry jobsite. Lang — along with his team of masonry professionals, co-workers, and industry contacts — developed easier-to-use mortar mixers, bracing systems and other labor saving equipment for the masonry industry.

Subsequent to the introduction of his masonry equipment, Mr. Lang was approached by fence contractors about designing equipment to satisfy requests for a machine that picks up and dispenses rolls of chain link fence easily with no effort. EZ Grout took on the challenge!

Sole Australian Distributors
Vicon International Pty Ltd
Cnr. Riverstone Pde. & Loftus St.,
Riverstone, NS. 2765
Ph: 0408 233 337
E: don@vicon.com.au
W: www.vicon.com.au

Developed with the assistance of Professional Fence Builders and after several prototype models and extensive field-testing, Lang introduced the patented Fence Hog® Fence Dispenser in early 2001. Before long, other labor saving fencing equipment followed.

EZ Grout Corporation continues to gain thousands of customers who use their equipment everyday on jobsites across the country. Damian Lang stands behind each innovation and remains committed to revolutionizing the industry for the betterment of the mason and fencing contractors throughout the nation and abroad.



405 Watertown Road, Waterford, OH 45786
Phone: 740-749-1311 • Fax: 740-749-0602