



**STAR & ROTARY SCREENING BUCKETS**

# ROTASTAR

High output screening attachments for TOPSOIL, COMPOST & WASTE

We design and manufacture a range of star screening attachments for 3 to 25 tonne carriers

Unique rotary material flow, no pinching or crushing, low power requirement and no contamination from crushed material

Flexible self cleaning star elements, no chopping, exceptional for screening fragile materials like turf roots and compost



Massive screening area, with replaceable inner panels for machine longevity and shaft end discs for low running costs

Greaseable self-aligning bearings for reliability

Narrow side structure




Speed control as standard, up to R5W, for optimum output and variable fraction size



Heavy duty chain drive for reliability and durability



Easily removable guard for maintenance and inspection



## ROTASTAR SCREENING BUCKETS

**ROTARY** We design and manufacture a range of rotary screening attachments for 6 to 25 tonne carriers

Ideal for TOPSOIL, WASTE, RECLAMATION, AND RECYCLING We offer a range of aperture sizes to suit different applications Simple rugged reliable design

Single hammer line, no drain line required


Bolt-on teeth

Foam filled tyres



Unique drum change system on larger buckets offering users the ability to produce varying sized materials throughout the working day with ease

Cleaning brush fitted as standard, improves output and performance



Large apron, set at an optimal angle, allowing control of material during screening

Unique conical drum design for high output and crowding clearance

Minimal dead area

## TECHNICAL SPECIFICATION

	Carrier Weight	Output	Shafts	Stars	Bucket Capacity	Hydraulic Req'ment	Bucket Weight	Working Width	Overall Width
Rotary 0.3 Conical	6-12 tonnes	Dependant on drum aperture	N/A	N/A	0.3 m3	40 l/min 130 bar	460kg	900mm	960mm
Rotary 0.7 Conical QC	13-15 tonnes	Dependant on drum aperture	N/A	N/A	0.7 m3	70 l/min 130 bar	1225kg	1200mm	1300mm
Rotary 0.9 QC	18-25 tonnes	Dependant on drum aperture	N/A	N/A	0.9m3	100l/min 130 bar	2050kg	1200mm	1350mm

**VICON INTERNATIONAL PTY LTD**  
 Cnr. Riverstone Pde. & Loftus Streets,  
 Riverstone. NSW. 2765  
 Ph: 0408 233 337 E:  
 don@vicon.com.au

